

### Brief Negotiated Interview Checklist

*INSTRUCTIONS: Please check either YES, NO, or N/A (not applicable), or score one number between 1 and 7, where applicable, for each of the following items.*

Did the Provider...	YES	NO	N/A														
1) Ask patient for permission to discuss alcohol use and pause for their response?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>														
2) Review patient's drinking patterns and express concern?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>														
3) Ask patient if he/she sees a connection between drinking and health care visit?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>														
4) Make a specific connection between drinking and health care visit or other medical issue (e.g., MVC, GI complaints, hypertension)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>														
5) Inform patient about the exact NIAAA guidelines relevant to his/her sex and age group and tell patient his/her drinking is above guidelines and unsafe ?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>														
6) Ask patient to select a number on the "Readiness Ruler"?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>														
7) What was the number? <i>(please write # in box)</i>	<input style="width: 100px; height: 20px;" type="text"/>																
8) Ask patient why he/she did not pick a lower number?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>														
9) Ask patient: What would make his/her drinking a problem? OR Ask how important would it be for the patient to prevent that from happening? OR Discuss patient's pros and cons of drinking?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>														
10) Tell patient in a confrontational manner, that they <i>have to</i> cut down?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>														
11) Make suggestions regarding how much patient should cut down?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>														
12) Refer to patient as an "alcoholic"	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>														
13) Negotiate a drinking goal with the patient based on what patient has said by asking: What would you like to do?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>														
14) Tell patient that if he/she can stay within NIAAA limits he/she will be less likely to experience (further) illness or injury related to alcohol use?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>														
15) Provide a drinking agreement sheet?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>														
16) Add his/her advice on the agreement?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>														
17) Provide written information?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>														
18) Encourage patient to schedule a follow-up appointment?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>														
19) Thank patient for his/her time?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>														
20) Offer confrontational warnings regarding drinking?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>														
21) To what degree does the provider reflect patient's motivational statements regarding cutting down? <i>(please write # in box)</i>	<input style="width: 100px; height: 20px;" type="text"/>																
<table style="width: 100%; border: none;"> <tr> <td style="width: 12.5%; text-align: center;">1</td> <td style="width: 12.5%; text-align: center;">2</td> <td style="width: 12.5%; text-align: center;">3</td> <td style="width: 12.5%; text-align: center;">4</td> <td style="width: 12.5%; text-align: center;">5</td> <td style="width: 12.5%; text-align: center;">6</td> <td style="width: 12.5%; text-align: center;">7</td> </tr> <tr> <td style="text-align: center;">not at all</td> <td></td> <td style="text-align: center;">somewhat</td> <td></td> <td></td> <td></td> <td style="text-align: center;">extensively</td> </tr> </table>	1	2	3	4	5	6	7	not at all		somewhat				extensively			
1	2	3	4	5	6	7											
not at all		somewhat				extensively											
22) Re-direct non-motivational statements? <i>(please write # in box)</i>	<input style="width: 100px; height: 20px;" type="text"/>																
<table style="width: 100%; border: none;"> <tr> <td style="width: 12.5%; text-align: center;">1</td> <td style="width: 12.5%; text-align: center;">2</td> <td style="width: 12.5%; text-align: center;">3</td> <td style="width: 12.5%; text-align: center;">4</td> <td style="width: 12.5%; text-align: center;">5</td> <td style="width: 12.5%; text-align: center;">6</td> <td style="width: 12.5%; text-align: center;">7</td> </tr> <tr> <td style="text-align: center;">not at all</td> <td></td> <td style="text-align: center;">somewhat</td> <td></td> <td></td> <td></td> <td style="text-align: center;">extensively</td> </tr> </table>	1	2	3	4	5	6	7	not at all		somewhat				extensively			
1	2	3	4	5	6	7											
not at all		somewhat				extensively											